

**Access to routinely collected data for population health research  
Experiences in Canada and Australia**

Henry, David; Stehlik, Paulina; Camacho, Ximena; Pearson, Sallie Anne

*Published in:*  
Australian and New Zealand Journal of Public Health

*DOI:*  
[10.1111/1753-6405.12813](https://doi.org/10.1111/1753-6405.12813)  
[10.1111/1753-6405.12813](https://doi.org/10.1111/1753-6405.12813)

*Licence:*  
CC BY-NC-ND

[Link to output in Bond University research repository.](#)

*Recommended citation(APA):*  
Henry, D., Stehlik, P., Camacho, X., & Pearson, S. A. (2018). Access to routinely collected data for population health research: Experiences in Canada and Australia. *Australian and New Zealand Journal of Public Health*, 42(5), 430-433. <https://doi.org/10.1111/1753-6405.12813>, <https://doi.org/10.1111/1753-6405.12813>

**General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

## Appendix 1: Examples of published studies that used routinely collected data in Manitoba and Ontario<sup>1</sup>

### Population/ Public Health

- Measuring burden of unhealthy behaviours using a multivariable predictive approach: life expectancy lost in Canada attributable to smoking, alcohol, physical inactivity, and diet.
- Relationship among body fat percentage, body mass index, and all-cause mortality: A cohort study.
- Potential cost-effectiveness of supervised injection facilities in Toronto and Ottawa, Canada.
- The early benefits of human papillomavirus vaccination on cervical dysplasia and anogenital warts.

### Health and social policy / health system

- Sensitivity and specificity of administrative mortality data for identifying prescription opioid-related deaths.
- A 3-year study of high-cost users of health care.

### Primary Care

- Primary care practice reports: administrative data profiles for identifying and prioritizing areas for quality improvement.
- Using the electronic medical record to identify patients at high risk for frequent emergency department visits and high system costs.

### Methods

- Estimating multimorbidity prevalence with the Canadian Chronic Disease Surveillance System.
- Multilevel survival analysis: methods, models and applications.

### Mental health

- Risk of suicide after a concussion.
- An early intervention for psychosis and its effect on criminal accusations and suicidal behavior using a matched-cohort design.

### Pharmacoepidemiology

- Population-based study of the drug interaction between proton pump inhibitors and clopidogrel.
- Atypical antipsychotic drugs and the risk for acute kidney injury and other adverse outcomes in older adults: a population-based cohort study.

### Surgery

- Association of frailty and 1-year postoperative mortality following major elective noncardiac surgery: a population-based cohort study.
- Higher surgeon and hospital volume improves long-term survival after radical cystectomy.
- The influence of incidental abdominal aortic aneurysm monitoring on patient outcomes.

### Pregnancy / early childhood

- Survival and surgical interventions for children with Trisomy 13 and 18.
- A multimodal intervention for children with ADHD reduces inequity in health and education outcomes.
- Severe maternal morbidity associated with maternal birthplace: A population-based register study.

### Cardiology

- Long-term clinical outcomes and predictors for survivors of out-of-hospital cardiac arrest.
- Associations between short or long length of stay with 30-day readmission and mortality in hospitalized patients with heart failure.
- The CANHEART health index: a tool for monitoring the cardiovascular health of the Canadian population.

### Cancer/ Screening

- Access, excess and overdiagnosis: the increasing incidence of thyroid cancer.
- Association between prognosis and tumor laterality in early-stage colon cancer.

<sup>1</sup> Further details of these studies including references are available from the authors